	Application No.	Applicant(s)
	10/629,217	KODAMA ET AL.
Notice of Allowability	Examiner	Art Unit
	Kiet T. Nguyen	2881
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in b) or other appropriate common RIGHTS. This application is the RIGHTS.	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to		
2. 🗵 The allowed claim(s) is/are <u>1-17</u> .		
3. X The drawings filed on 29 April 2004 are accepted by the E	xaminer.	
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority of a)  All b)  Some* c)  None of the: <ol> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>	re been received. re been received in Applicatio	on No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file MENT of this application.	e a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which giv	nitted. Note the attached EX ves reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF r declaration is deficient.
6. CORRECTED DRAWINGS ( as "replacement sheets") mu  (a) including changes required by the Notice of Draftsper  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	rson's Patent Drawing Review - r's Amendment / Comment o	r in the Office action of he drawings in the front (not the back) of
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MAT	ERIAL must be submitted. Note the
<ul> <li>Attachment(s)</li> <li>1.  Notice of References Cited (PTO-892)</li> <li>2.  Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date</li></ul>	6.  Interview S Paper No. 708), 7.  Examiner's	nformal Patent Application (PTO-152) Summary (PTO-413), /Mail Date s Amendment/Comment s Statement of Reasons for Allowance
		RIET T. NGUYEN PRIMARY EXAMINER

Application/Control Number: 10/629,217

Art Unit: 2881

The following is an examiner's statement of reasons for allowance:

The prior art fails to disclose an ion beam device and/or method which includes a gas ion beam irradiated from a rear surface side of a sample to a section of the sample at an incident angle for removing a damage layer on the section as recited in claims 1 and 9; or a holder member for holding a sample which includes a fixing platform provided a fixing surface for fixing a clamp section so that a section of the sample formed by irradiating a focused ion beam from a surface side of the sample is parallel to the fixing surface as recited in claim 13 or perpendicular to the fixing surface and the surface of the sample is positioned at the fixing surface as recited in claim 16.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kiet T. Nguyen whose telephone number is 571-272-2479. The examiner can normally be reached on Monday-Friday from 8.00 AM to 6.00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R Lee, can be reached on Monday-Friday. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for Application/Control Number: 10/629,217

Art Unit: 2881

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KIET T. NGUYEN PRIMARY EXAMINER Page 3